



## Ball Knobs - Maxwell Series

### Latch

4-Way Latch  
(Removable  
Latch Plate)

Dummy

### Color/Finish



Flat Black



Satin Nickel


Stainless  
Steel

### Function

Dummy

Entrance

Passage

Privacy

## DESCRIPTION

- Galvanized all-steel interior mechanism
- Easy installation with included template
- Fits standard 2-1/8" (55 mm) cross bore 161 door prep (ANSI 115.2)
- 5 year limited warranty on finishes
- 25 year mechanical warranty

## ADVANTAGES AND BENEFITS

Fits standard 2-1/8" (55 mm) cross bore 161 door prep. 20 min fire rating available upon request.

## AVAILABLE PRODUCTS

Product #	Latch	Color/Finish	Function
<b>4040TFB51</b>	4-Way Latch (Removable Latch Plate)	Flat Black	Entrance
<b>4040TFB10</b>	4-Way Latch (Removable Latch Plate)	Flat Black	Passage
<b>4040TFB42</b>	4-Way Latch (Removable Latch Plate)	Flat Black	Privacy
<b>4040TSN51</b>	4-Way Latch (Removable Latch Plate)	Satin Nickel	Entrance
<b>4040TSN10</b>	4-Way Latch (Removable Latch Plate)	Satin Nickel	Passage
<b>4040TSN42</b>	4-Way Latch (Removable Latch Plate)	Satin Nickel	Privacy
<b>4040TSS51</b>	4-Way Latch (Removable Latch Plate)	Stainless Steel	Entrance
<b>4040TSS42</b>	4-Way Latch (Removable Latch Plate)	Stainless Steel	Privacy
<b>4040TFB17</b>	Dummy	Flat Black	Dummy
<b>4040TSN17</b>	Dummy	Satin Nickel	Dummy

## TECHNICAL SPECIFICATIONS

<b>Style</b>	Ball Knobs
<b>Keyed Alike</b>	Compatible
<b>Screw/Nail</b>	Included
<b>Diameter</b>	2 9/16 in
<b>Door Thickness</b>	1 3/8 to 1 3/4 in
<b>Handing Position / Opening Side</b>	Reversible for Left or Right
<b>Usage</b>	Hinge Door
<b>Grade</b>	3
<b>Brand</b>	Onward
<b>Screw</b>	Included
<b>Projection</b>	2 1/2 in
<b>Material</b>	Steel
<b>Backset</b>	2 3/8 to 2 3/4 in
<b>Standards and Certifications</b>	ANSI A156.2-2003

## INCLUDED PRODUCT(S)

Mounting hardware included.

## IMPORTANT INFORMATION

5 year limited warranty on finishes. 25 year mechanical warranty.

## APPLICATION

Easy installation Template included

---

**PRODUCT PHOTOS**

