



# K-300 Kolossus Countertop Bracket

#### **Features**



#### **Shelf Thickness**

3/16 in	1/4 in	3/8 in
---------	--------	--------

## **Maximum Load Capacity per Pair**

### **Length - Overall Dimensions**

12 in 16 in	24 in	30 in
-------------	-------	-------

#### **DESCRIPTION**

- Nearly invisible, gives your countertop the appearance of floating Easy to install and affordable
- No special hardware or tools required
- Screw holes are countersunk into the brace for a flush installation

#### **ADVANTAGES AND BENEFITS**

- Powder-coated - Countersunk screw holes

#### **AVAILABLE PRODUCTS**

Product #	Features	Shelf Thickness	Maximum Load Capacity per Pair	Length - Overall Dimensions
623161290	HD Brace	3/16 in	600 lb	12 in
623161690	HD Brace	3/16 in	600 lb	16 in
623162490	HD Brace	3/16 in	600 lb	24 in
62141290	HD Brace	1/4 in	600 lb	12 in
62381690	HD Brace	3/8 in	1 000 lb	16 in
62382490	HD Brace	3/8 in	1 000 lb	24 in
62383090	HD Dishwasher Brace	3/8 in	1 000 lb	30 in



## **TECHNICAL SPECIFICATIONS**

Material	Steel
Color/Finish	Black
Brand	Kolossus
Width - Overall Dimension	3 1/2 in
Screw/Nail	#12 (Not Included)

# **APPLICATION**

<sup>-</sup> Countertops - Bars - Extra bracing - The distance between the end of the countertop and the bracket should not exceed 10 in (254 mm)



# PRODUCT PHOTOS







