



Square Spigot with Glass Drilling

Finish



DESCRIPTION

Recommended for use with laminated glass.

This bracket is designed to meet the increasing safety needs when installing balustrades with laminated glass requiring drilling, since compression isn't enough to keep the glass in place. The bracket has four adjustment screws at the base with a stainless steel plate to adjust the level and alignment of a series of panels when the horizontal surface is slightly uneven. These clamps are designed for a surface installation of glass panels, either inside or outside, such as around decks and pools.

ADVANTAGES AND BENEFITS

- Requires less time for installation - Ideal for balusters made of laminated glass - No block torsion when pressure is applied

AVAILABLE PRODUCTS

Product #	Finish
706SP077169	Black Stainless Steel
706SP077170	Stainless Steel

TECHNICAL SPECIFICATIONS

Safety Glass Thickness	15/32 to 19/32 in*
Recommended Location Usage	Interior, Exterior
Height	6 13/32 in*
Material	Stainless Steel 316
Glass Drilling	Required
Panel Height	Max. 47 1/4 in*
Panel Width	Max. 60 in*
Width	3 15/16 in*
Length	3 15/16 in*
Type of Mounting	Floor Mount
Category	Spigots

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

- The support plate allows to stabilize the bracket on several types of substrates. - This two-section clamp is designed to simplify the installation of laminated glass panels. - The finishing plate covers the base and screws while giving the clamp an elegant look. - Requires glass drilling for use.

INCLUDED PRODUCT(S)

1 bracket, 1 finishing plate and mounting hardware

IMPORTANT INFORMATION

For safety purposes, use laminated glass. The use of power tools during installation may damage the hinges and decorative hardware. The glass must be shaped according to the section plane provided in the box. Maintenance: clean with a soft cloth and non-abrasive soap or ammonia. This illustration is provided for visual reference only. Actual product may differ from the illustration. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always use the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not absolve you of responsibility for checking the accuracy of data and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the execution of your projects based on our technical recommendations are beyond our control and are therefore exclusively your responsibility. Sales of our products are subject to our most recent general sales conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

