



X-SIGN - LED Light, 10 W, 24 V

DESCRIPTION

High 10 watt power, with 90 degree angle

- Integrates a LGP LED technology which guarantees a wide projection beam with a distinctive design and diffuser for perfect opalescence.
- Designed for quick surface-mount installation with a thickness of 3/8 in (10 mm).
- Bright and uniform light distribution.

ADVANTAGES AND BENEFITS

- From Italy, exclusive to Richelieu - One master X-Sign can control up to 5 X-Signs without a switch - Offers high performance lighting, from full brightness to a comforting glow - Bright and uniform light distribution - Simple screw-on fitting

AVAILABLE PRODUCTS

Product #

1281024124170

TECHNICAL SPECIFICATIONS

Location	Under Cabinet, Wall Mounted, Countertop
Application	Living Room, Bedroom, Commercial
Mounting	Surface
Luminaire	Fixed Spots
Compatibility	Micro 24
Operation	Touch
Lighting	Ambience, Accent
Finish	Stainless Steel
Light Color	Neutral White
Kelvin Color Temperature (K)	3900 K
Standards and Certifications	cULus
Style	Contemporary, Eclectic
CRI (Color Rendering Index)	80
Luminous Efficiency	48 lm/W
Length	7 1/16 in*
Height	4 1/16 in*
Width	4 1/16 in*
IP	IP20
Lighting Type	LED
Tension (V)	24 V
Watts	10 W
Group	LED Group A
Connection Type	Micro 24
Luminous Flux	450 Lumen
Features	Without Switch

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

LED converter not included. To be ordered separately.

INCLUDED PRODUCT(S)

- X-Sign LED light - 78 3/4 in (2 m) power cable with a Micro24 connector

APPLICATION

- Easy and quick installation - Ideal for installing under kitchen cabinets

DISCLAIMER

- Product information subject to change without notice - Use prescribed power supply - Indoor use only

PRODUCT PHOTOS



