





Atom LED Tunable White Kit

Controller

Magic Tune	Magic Tune
Remote - One	Remote -
Zone	Three Zones

Power Supply Wattage

15 W	30 W	60 W
------	------	------

Maximum Fixtures per Driver



DESCRIPTION

A continuous CCT range from warm white to cool white

The Atom LED Tunable White complete set is ready-to-use and includes a light fixture, the power supply, and a controller as per selected options.

- Easy installation on various surface applications

- Integrates Tunable White technology which provides the most flexibility in illumination available

- Offers various options for a dynamic control or a static selection of the color temperature from warm white to cool white

- Control options include remote and touch controls

ADVANTAGES AND BENEFITS

- Provides a full range of color temperatures in a single luminaire. - Offers the possibility of creating dynamic personalized environments in any space. - Features excellent color rendering and homogeneity between luminaires. - Control via the handheld remotes enables both the adjustment of color temperature and the selection of dimming options for the entire fixture.

AVAILABLE PRODUCTS

Product #	Controller	Power Supply Wattage	Maximum Fixtures per Driver
WEBKIT1222413	Magic Tune Remote - One Zone	15 W	5
WEBKIT1222414	Magic Tune Remote - One Zone	30 W	10
WEBKIT1225408	Magic Tune Remote - One Zone	60 W	20
WEBKIT1222415	Magic Tune Remote - Three Zones	15 W	5
WEBKIT1222416 Magic Tune Remote - Three Zones 30 W		30 W	10
WEBKIT1225409	Magic Tune Remote - Three Zones	60 W	20

TECHNICAL SPECIFICATIONS

Location	Under Cabinet, Furniture	
Application	Kitchen, Living Room, Commercial, Furniture	
Mounting	Recessed	



Luminaire	Fixed Spots
Compatibility	Micro 24
Control System	IR
Operation	Remote Control
Lighting	Accent, Task, Functional
Finish	White
Light Color	D-Motion (adjustable)
Kelvin Color Temperature (K)	From 2700 K to 4000 K
Standards and Certifications	cULus
Style	Contemporary
CRI (Color Rendering Index)	80
Luminous Efficiency	90 lm/W
Material	Thermoplastic, Polycarbonate
Power Cable Length	78 3/4 in*
Height	15/32 in*
Diameter	3 in*
Recessed Depth	5/16 in*
Bore Hole	2 7/8 in*
IP	IP20
Lighting Type	LED
Tension (V)	24 V
Watts	4.5 W
Group	LED 24Vdc Exclusive
Connection Type	Micro 24
Luminous Flux	210 Lumen
Power Supply	X-Driver (24 V)
Features	Dimmable

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

INCLUDED PRODUCT(S)

78 3/4 in (2 m) power cable



IMPORTANT INFORMATION

The complete sets feature the following configurations: - Tunable White Remote control: with single-zone or multi-zone tunable color temperature and light intensity options - Tunable White touch control: surface-mounted on/off switch and dynamic white light control - Dimmable selectable white: choice of three fixed color temperature selections using the Magic Box

APPLICATION

- Countertops - Cabinets - Bookcases - Display cases - Decorative lighting - Bedrooms

DISCLAIMER

- Light and trim rings are sold separately - Use prescribed power supply - For indoor use only

PRODUCT PHOTOS

