

Miss Recessed Profile

Finish

Aluminum

Black

Packaging format

Length

Length

DESCRIPTION

Slim aluminum profile for recessed LED installation

- Designed for recessed installation in a blind or through milled groove which is 12 mm wide and 13 mm deep.

ADVANTAGES AND BENEFITS

- Slim profile. - APEX lens, without dot effect. - Customize your lengths as needed; profiles can be cut easily with a miter saw. - Its length can be adapted to your needs, with a minimum of 11 13/16" (300 mm) and a maximum of 78 3/4" (2 m)

AVAILABLE PRODUCTS

Product #	Finish	Packaging format
4124079010	Aluminum	Length
4124079990	Black	Length

TECHNICAL SPECIFICATIONS

Mounting	Recessed
Luminaire	Rigid Linear
Location	Inside Cabinet, Under Cabinet, Closet, Furniture, Other
Application	Kitchen, Office, Commercial, Furniture, Closet
Length	78 3/4 in*
Height	1/2 in*
Material	Aluminum
Standards and Certifications	cULus
Function	Aluminum Profile
Lighting Type	LED
Group	LED Group A
Style	Contemporary, Functional
Width	15/32 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

INCLUDED PRODUCT(S)

- 78 3/4" (2 m) Miss LED profile - 78 3/4" (2 m) polycarbonate Apex LED profile

APPLICATION

- Cabinets - Bookcases - Display cases - Decorative lighting

IMPORTANT INFORMATION

- Giuseppe Bavuso design - Ends caps sold separately.

DISCLAIMER

- LED tape light sold separately: only compatible with Flexyled HE6 PW. (see Suggested Products) - Ends caps sold separately.

PRODUCT PHOTOS

