



## Counter Partition Center Post

### Finish

Matte Black

Stainless Steel

### Height

18 in

36 in

## DESCRIPTION

### Food safe

Center post, 18 in (457 mm) high, with pre-installed edge grips on both sides at 180° Suitable for 1/4 in to 13/32 in (6 mm-10 mm) thick glass or other material

## ADVANTAGES AND BENEFITS

Edge grips can be quickly reversed in the field using a 4 mm Allen key.

## AVAILABLE PRODUCTS

Product #	Finish	Height
<a href="#">RSGGCTRP18900</a>	Matte Black	18 in
<a href="#">RSGGCTRP36900</a>	Matte Black	36 in
<a href="#">RSGGCTRP18170</a>	Stainless Steel	18 in
<a href="#">RSGGCTRP36170</a>	Stainless Steel	36 in

## TECHNICAL SPECIFICATIONS

<b>Glass Thickness</b>	1/4 to 13/32 in*
<b>Length</b>	3 in
<b>Material</b>	Stainless Steel
<b>Width</b>	1 in
<b>Diameter</b>	1 in
<b>Type</b>	Counter Partition Posts and Accessories

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## APPLICATION

Ideal for use in reception areas, checkout counters, restaurants and hospitality industries as sneeze-guards and protective screens. Other possible applications include privacy partitions in banks, offices and reception areas.

---

## INCLUDED PRODUCT(S)

1 center post with 4 pre-installed edge grips 1 base 1 base cap Mounting hardware not included

## IMPORTANT INFORMATION

Maximum length between two posts is 48 in (1.2 m) For safety purposes, use tempered glass. The use of power tools during installation may damage the hardware. Maintenance: clean with a soft cloth and non-abrasive soap or ammonia. This illustration is provided for visual reference only. Actual product may differ from the illustration. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material. Never exceed the load or maximum size recommended by the manufacturer.

## DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

## PRODUCT PHOTOS

