



AVENTOS HK-S Mechanism for Lift-Up Door

Load Capacity

1.32 to 7.28
lb*

2.2 to 14.8 lb*

5.29 to 30 lb*

Mechanism Strength

Heavy Weight

Light Weight

Medium
Weight

System Type

B

C

E

DESCRIPTION

Streamlined: the design of the caches has been improved

AVENTOS HK-S, hinged lift door mechanism specially designed for small cabinets (minimum internal height 150 mm (5 7/8 in.).

- Elegant
- Cleaned up
- Suitable for AVENTOS HK top.

The small hinged lift-up door fits stylishly into furniture bodies of various designs and offers maximum ease of movement.

IMPORTANT:

Please refer to the product data sheets to select the right model.

ADVANTAGES AND BENEFITS

- Small, compact mechanism occupies minimal space.
- Integrated Blumotion device for soft-closing.
- Easy mounting and adjustment.
- Opening angle up to 107° for complete visibility.

AVAILABLE PRODUCTS

Product #	Load Capacity	Mechanism Strength	System Type
20K2B00N6	1.32 to 7.28 lb*	Light Weight	B
20K2C00N6	2.2 to 14.8 lb*	Medium Weight	C
20K2E00N6	5.29 to 30 lb*	Heavy Weight	E

TECHNICAL SPECIFICATIONS

Hinge Opening Angle	+107°
Brand	Blum
Side	Both
Door Height	7 5/32 to 15 3/4 in*
Material	Metal
Finish	Light Gray
Minimum internal depth of the enclosure	6 13/32 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- One side is without spring and one side is with a medium spring. - We strongly recommend that you consult the height/weight grid given in the datasheet to make your choice.

APPLICATION

Upper cabinets of reduced height, such as cabinets above refrigerators and pantries.

INCLUDED PRODUCT(S)

- 2 symmetrical lifting mechanisms - 2 left/right covers - 2 narrow covers with Logo - 6 chipboard screws Ø 4 x 35 mm

PRODUCT PHOTOS



