




SLIM Door Pull with Self-Adhesive Back

Color/Finish



Length



DESCRIPTION

Can be applied to various surfaces

The SLIM Door Pull Handle with self-adhesive back for sliding doors.

Features:

- Available in two lengths: 11 3/4 in (300 mm) and 18 7/8 in (480 mm)
- Available in four finishes: black, chrome, champagne, and titanium
- Can be applied to wood, laminate, glass, steel, and aluminum surfaces
- Finishes match the colors of the EVO sliding door system

Ideal solution for residential and commercial applications.

ADVANTAGES AND BENEFITS

- Available in two lengths: 11 3/4 in (300 mm) and 18 7/8 in (480 mm)
- Available in four finishes: black, chrome, champagne, and titanium
- Self-adhesive back can be applied to wood, laminate, glass, steel, and aluminum surfaces

AVAILABLE PRODUCTS

Product #	Color/Finish	Length
89SLIM3090	Black	11 3/4 in*
89SLIM4890	Black	18 7/8 in*
89SLIM30CHBRZ	Champagne	11 3/4 in*
89SLIM48CHBRZ	Champagne	18 7/8 in*
89SLIM30140	Chrome	11 3/4 in*
89SLIM48140	Chrome	18 7/8 in*
89SLIM30188	Titanium	11 3/4 in*
89SLIM48188	Titanium	18 7/8 in*

TECHNICAL SPECIFICATIONS

Door Type	Glass, Wood, Steel, Aluminum, Laminate
Usage	Sliding Door
Height	19/32 in*
Width	13/32 in*
Material	Aluminum

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- Only for use for sliding doors - Not suitable for swing and pivot doors - All surfaces must be dry and clean prior to installation - Always remove debris/dust/residues (sawdust and/or aluminum) from all surfaces before applying door pull, use a dry cloth during installation - Never spray lubricant on this product

APPLICATION

For use on wood, laminate, glass, steel, and aluminum surfaces

DISCLAIMER

Pictures provided for visual reference only: actual product may vary. - All required hardware should be ordered and obtained prior to initiating fabrication or installation work. Please verify that the parts and quantities listed in your order are correct before proceeding to checkout. - Always use instructions provided by the manufacturer, as included with the product. Manufacturer reserves the right to amend, modify, or otherwise supplement any previously issued product and/or technical information, as deemed required from time to time, without prior notice. - The documentation, drawings, and instructions on this page apply to the system described on this page only. Richelieu expressly declines all responsibility for any design or construction that combines this system with systems from this same manufacturer or systems from other manufacturers. - Installation of the product shall be executed by qualified individuals only, always ensuring that each product is securely installed using proper fixation methods, as appropriate for each applicable substratum. We trust that anyone installing these products has the required skills, knowledge, and experience. Richelieu expressly disclaims any liabilities for results obtained through improper use or installation.

PRODUCT PHOTOS

