



COMPACT CLIP 31C3 110° hinge

Screw/Nail

Not Included

Screw
included

Fixing Type

Knock-In

Screw-On

Overlay

1 in

1 1/4 in

1 5/16 in

1 3/8 in

1 1/2 in

1 9/16 in

DESCRIPTION

a simplified installation

COMPACT CLIP installs like a one-piece hinge.

The hinge comes pre-attached to the mounting plate to make hinge installation familiar and quick. COMPACT CLIP hinges are interchangeable with all current COMPACT BLUMOTION and COMPACT hinges so there is no need to change existing setups or workflows.

ADVANTAGES AND BENEFITS

Easy removal of doors Doors can be easily removed by pressing down on the CLIP lever and sliding forward to release from the mounting plate. Removal can be done on the assembly line so the doors can be shipped separately from the cabinet or once the cabinet arrives at the jobsite. No matter how many times the hinge is removed from the mounting plate, the adjustments will remain at factory settings. Quick attachment To reattach the hinge, simply line it up to the mounting plate and gently press until it clicks.

Pre-attached screw Every detail to improve installation has been thought about, including the pre-attached screw. Not only does this save time so there's no handling of loose screws, it also improves screw head visibility and installation accuracy.

Adjustments No more having to always readjust the door height each time the door is removed! Thanks to a built-in cam height adjustment, installers will always have the maximum adjustment range without needing to be centered in an elongated hole. Depth and side-to-side adjustments are also available, with markings stamped on the hinge near their corresponding screw head.

AVAILABLE PRODUCTS

Product #	Screw/Nail	Fixing Type	Overlay
31C358B16180	Not Included	Knock-In	1 in
31C358B20180	Not Included	Knock-In	1 1/4 in
31C358B21180	Not Included	Knock-In	1 5/16 in
31C358B22180	Not Included	Knock-In	1 3/8 in
31C358B24180	Not Included	Knock-In	1 1/2 in
31C358B25180	Not Included	Knock-In	1 9/16 in
31C355B16180	Not Included	Screw-On	1 in
31C355B20180	Not Included	Screw-On	1 1/4 in
31C355B21180	Not Included	Screw-On	1 5/16 in
31C355B22180	Not Included	Screw-On	1 3/8 in
31C355B24180	Not Included	Screw-On	1 1/2 in
31C358BS16180	Screw included	Knock-In	1 in
31C358BS20180	Screw included	Knock-In	1 1/4 in
31C358BS21180	Screw included	Knock-In	1 5/16 in
31C358BS22180	Screw included	Knock-In	1 3/8 in
31C358BS24180	Screw included	Knock-In	1 1/2 in
31C358BS25180	Screw included	Knock-In	1 9/16 in
31C355BS16180	Screw included	Screw-On	1 in
31C355BS20180	Screw included	Screw-On	1 1/4 in
31C355BS21180	Screw included	Screw-On	1 5/16 in
31C355BS22180	Screw included	Screw-On	1 3/8 in
31C355BS24180	Screw included	Screw-On	1 1/2 in

TECHNICAL SPECIFICATIONS

Brand	Blum
Hinge Opening Angle	+105°
Finish	Nickel
Mounting Type	Wraparound Type Mounting
Cabinet Type	Face Frame
Door Position	Full Overlay
Door Thickness	Max. 3/4 in
Closing Mechanism	Soft-Closing
Hinge Type	COMPACT CLIP BLUMOTION

PRODUCT PHOTOS

