



Furniture, Cabinet and Display Lighting Systems



# Halogen & Xenon Bulbs



1



2



3

## What you'll need to buy

| 1 | Description                   | Watt | Hours  | Code No. |
|---|-------------------------------|------|--------|----------|
|   | Premium halogen bulb          | 10 W | 4,000  | PB10     |
|   | Premium halogen bulb          | 20 W | 4,000  | PB20     |
|   | Ecoline halogen bulb          | 10 W | 2,000  | EB10     |
|   | Ecoline halogen bulb          | 20 W | 2,000  | EB20     |
|   | Ecoline halogen bulb, frosted | 20 W | 2,000  | EBF20    |
|   | Xenon bulb                    | 10 W | 10,000 | X-HB10   |
|   | Xenon bulb                    | 20 W | 10,000 | X-HB20   |
|   | Xenon bulb for XR1/XS1        | 18 W | 8,000  | X-B18    |

| 2 | Description                     | Watt | Hours | Code No. |
|---|---------------------------------|------|-------|----------|
|   | MR 11 halogen bulb for EH 24    | 20 W | 3,000 | BEH24    |
|   | MR 16 halogen bulb for Arclamps | 20 W | 3,000 | MR1620   |
|   | MR 16 halogen bulb for Arclamps | 35 W | 3,000 | MR1635   |
|   | MR 16 halogen bulb for Arclamps | 50 W | 3,000 | MR1650   |

| 3 | Description        | Watt    | Hours  | Code No. |
|---|--------------------|---------|--------|----------|
|   | MR 16 bulb for LED | 3 x 1 W | 50,000 | MR16LED  |



Richelieu Hardware Ltd  
7900 Henri-Bourassa Blvd West  
Montreal, Quebec, Canada H4S 1V4

Telephone:  
Canada - 1 800 361-6000  
U.S - 1 800 619-5446

[info@richelieu.com](mailto:info@richelieu.com)  
[www.richelieu.com](http://www.richelieu.com)

Subject to technical changes without  
prior notice. Position as per 11/2008

# Signs and Symbols



Underwriters Laboratories Inc. – Listing mark for the USA



Underwriters Laboratories Inc. – Listing mark for Canada




Intertek Testing Services – Listing mark for the USA




Intertek Testing Services – Listing mark for Canada



New York City Department of Buildings




Necessary hole diameter for recessed spotlight




Maximum bulb wattage which can be used in a particular halogen spotlight



Maximum bulb wattage for MR 11 and MR 16 bulbs which can be used in a particular halogen spotlight



Beam angle



Minimum clearance to combustible materials in front of a spotlight